
SL-MT13

Table type manual Deburring machine

Dry Metal Deburring Sander



S



Product Features

The manual grinder is a multifunctional starter model and the best cost-saving choice. The machine is suitable for various finishing operations on metal parts such as deburring, edge rounding, finishing, laser oxide removal and heavy slag removal. Also, mirror finish can be created if required. With the 180 degrees rotating shaft, it's quick and easy to switch between different consumables.

S L - MT-13 Specification

| Model | SL-MT-13 |
|-------------------------------|--|
| Working height | 920 mm |
| Work surface | 1300 x 800 mm |
| Vacuum zone | 350 x 250 mm |
| Minimum workpiece dimensions | Measurement: the size of a credit card |
| | Depending on the shape and what can |
| | be held by the vacuum |
| Maximum workpiece height | 150 mm |
| Maximum table load | 110 kg |
| Operation | Rotating handle with start/stop button |
| | and speed regulator |
| Motor | 0,75 KW |
| Speed brush | 500 to 1200 RPM |
| Vacuum motor | 2,2 KW |
| Machine dimensions | 310 x 810 x 1560 mm (LWH) |
| Machine weight | 340 KGS |
| Transport dimensions + weight | 1530 x 1070 x 1640 mm (LWH) / 420 kg |

Accessories

SL-MT13



We have extensive experience specializing in the production of woodworking and metalworking We offer OEM & ODM services. Feel free to contact us if you are interested in machines!

+886 4 2561 9333 | https://salidatek.com | Email: sander@salidatek.com




FAST MANUAL DEBURRING, EDGE ROUNDING AND FINISHING OF METAL

Deslagging



Deburring





Oxide removal



Edge rounding



Salida Industry CO.,LTD.

No.48, Lane 276, Guangfu Rd., Shengang Dist., Taichung City, Taiwan 429, R.O.C.

Contact Us

TEL: +886 4 2561 9333 FAX: +886 4 2561 0612

Website: https://salidatek.com Email: sander@salidatek.com